## SIXTEENTH SCHEDULE

## (Regulation 41)

## PESTICIDE RESIDUE

The food specified in column (2) of the table below shall not contain the pesticide specified in relation thereto in column (1) in proportion greater than the maximum permitted proportion specified in column (3) thereof in relation to the food.

## NOTE

%Not prescribed+means the Maximum Residue Limits are not required.

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
2, 4-D	Rice (milled or polished) Coconut / coconut oil Palm oil Banana Sugarcane	0.05 0.05 0.05 0.1 3
Abamectin	Kale Cabbage Chinese cabbage Mustards	0.05 0.05 0.05 0.05
Acephate	Rice (milled or polished) Cocoa beans Citrus fruits Cauliflower Celery Kale Coconut / coconut oil Cabbage Mango Palm oil Lettuce	0.1 0.2 1 2 5 5 5 0.5 2 1 0.5 5

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
	Mustards Tomato Potato	5 1 0.5
Acetamiprid	Okra Long beans Cabbage Brinjal Cucumber	2 2 2 2 2
Alachlor	Maize Soya bean Groundnuts	0.1 0.2 0.05
Ametryn	Cocoa beans Coffee beans Citrus fruits Coconut / coconut oil Palm oil Pineapple Banana Sugarcane Tea	0.2 0.2 0.1 0.2 0.2 0.2 0.2 0.2 0.1 0.2
Amitraz (sum of amitraz calculated as N-(2,4-dimethylphenyl)-N methyl formamidine and Nqmethyl- formamidine)	Papaya Citrus fruits Chilli Meat (sheep) Meat (cattle, pig) Durian Edible offal (cattle, sheep, pig) FrenchKacang buncis Mango Legume vegetables (except as otherwise listed) Brinjal	0.5 0.5 0.2 0.1 0.05 0.5 0.2 1 0.5 1

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Anilofos	Rice (milled or polished)	0.1
Atrazine	Maize Pineapple Sugarcane	0.2 0.2 0.1
Azadirachtin		Not prescribed
Azoxystrobin	Chilli Cucumber Tomato	1 0.5 1
Bacillus thuringiensis		Not prescribed
Bendiocarb (commodities of plant origin: unconjugated bendiocarb)	Chilli Kale Cabbage Chinese cabbage Mustards Legume vegetables Watermelon Brinjal Cucumber	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2
Benomyl (expressed as carbendazim)	See carbendazim	
Bensulfuron-methyl	Rice (milled or polished)	0.02
Bentazon	Rice (milled or polished) Maize Soya bean Groundnuts	0.1 0.2 0.05 0.05
Bispyribac sodium	Rice (milled or polished)	0.05
Bitertanol	Banana	0.05
Bordeaux mixture		Not prescribed

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
BPMC	Rice (milled or polished)	0.2
Bromacil	Pineapple	0.1
Bromopropylate	Chilli Brinjal	1 1
Buprofezin	Rice (milled or polished)	0.2
Butocarboxim	Cocoa beans Chilli Long beans Palm oil Tomato	0.5 2 2 2 2
Cadusafos	Banana Sugarcane	0.01 0.01
Captan	Coffe beans Groundnuts Palm oil Banana Strawberry Tea Tomato	10 10 10 15 20 10 15
Carbaryl	Okra Rice (milled or polished) Poultry meat Soya bean Cabbage Chinese cabbage Pumpkins Pepper (black, white) Mango Mustards Brassica vegetables (except as otherwise listed)	10 1 0.5 1 5 5 3 5 5 5 10 5

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
	Legume vegetables (except as otherwise listed) Brinjal Cucumber	5 5 3
Carbendazim	Onion (bulb) Rice (milled or polished) Papaya Coffee beans Citrus fruits Chilli Guava Sweet pea Groundnuts Kale Cabbage Chinese cabbage Pepper (black, white) Mango Banana Celery Lettuce Mustards Legume vegetables (except as otherwise listed) Watermelon Cucumber Tomato	$\begin{array}{c}2\\0.5\\3\\0.1\\10\\5\\3\\2\\0.1\\5\\2\\5\\0.1\\2\\1\\2\\5\\5\\2\\2\\0.5\\5\\2\end{array}$
Carbofuran (sum of carbofuran and 3-hydroxy- carbofuran expressed as carbofuran)	Rice (milled or polished) Maize Pepper (black, white) Mango Banana Sugarcane Brinjal	0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Carbosulfan	Rice (milled or polished) Chilli Long beans Watermelon Brinjal Cucumber	0.2 0.5 0.5 0.5 0.5 0.5
Cartap (expressed as free base)	Rice (milled or polished) Cabbage Chinese cabbage Lettuce Mustards	0.1 0.2 2 2 2
Chinomethionat	Chilli Brinjal	0.5 0.5
Chlorfenapyr	Cabbage Chinese cabbage Brinjal Cucumber	1 1 1 1
Chlorfluazuron	Okra Chilli Long beans Kale Radish Lettuce Mustards Brinjal	0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3
Chlorimuron ethyl	Rice (milled or polished)	0.02
Chlorothalonil	Onion (bulb) Cocoa beans Coffee beans Chilli Spring onion leaves	0.5 0.05 0.2 5 10

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Ginger Groundnuts Cabbage Pepper (black, white) Mango Banana Celery Lettuce Legume vegetables Watermelon Cucumber Tomato Potato	$\begin{array}{c} 0.5 \\ 0.05 \\ 1 \\ 0.2 \\ 3 \\ 0.2 \\ 10 \\ 10 \\ 5 \\ 5 \\ 5 \\ 5 \\ 5 \\ 5 \\ 0.2 \end{array}$
Chlorpyrifos	Starfruit Okra Rice (milled or polished) Cocoa beans Citrus fruits Cauliflower Chilli Ginger Maize Guava Coconut / coconut oil Cabbage Pepper (black, white) Palm oil Mustards Leafy vegetables (except as otherwise listed) Legume vegetables Tomato Potato	$ \begin{array}{c} 1\\ 0.2\\ 0.1\\ 0.05\\ 1\\ 0.05\\ 0.5\\ 0.5\\ 0.5\\ 1\\ 0.5\\ 0.5\\ 0.5\\ 0.5\\ 1\\ 1\\ 0.2\\ 0.5\\ 0.5\\ 0.5\\ 0.5\\ 0.5\\ 0.5\\ 0.5\\ 0.5$
Cinosulfuron	Rice (milled or polished) Cocoa beans Palm oil	0.1 0.1 0.1

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Clethodim	Onion (bulb) Tomato	0.2 0.1
Copper hydroxide		Not prescribed
Copper oxychloride		Not prescribed
Copper sulphate		Not prescribed
Coumaphos (sum of coumaphos and its oxygen analogue)	Meat (fat) Milks (fat)	0.5 0.02
Cupric hydroxide		Not prescribed
Cuprous oxide		Not prescribed
Cyclosulfamuron	Rice (milled or polished)	0.1
Cyclosulfamuron Cycloxydim (sum of 3-thion-3yl glutaric acid (TME) and 3-hydroxy-3-thiam-3yl glutaric acid (OH-TME), expressed as cycloxydim)	Rice (milled or polished) Onion (bulb) Citrus fruits Tomato	0.1 0.5 0.5 0.5
Cycloxydim (sum of 3-thion-3yl glutaric acid (TME) and 3-hydroxy-3-thiam-3yl glutaric acid (OH-TME), expressed	Onion (bulb) Citrus fruits	0.5 0.5

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
	Cabbage Pepper (black, white) Palm oil Brinjal	0.2 0.5 0.1 0.1
Cymoxanil	Onion (bulb) Cabbage Squash Melons Cucumber Tomato Yam Potato	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2
Cypermethrin (sum of isomers)	Starfruit Okra Papaya Cocoa beans Fruits Citrus fruits Chilli Meat (fat) Maize Guava Green gram Long beans Kale Cabbage Cauliflower Mango Palm oil Lettuce Mustards Leafy vegetables (except as otherwise listed) Brassica vegetables (except as otherwise listed) Legume vegetables (except as otherwise listed)	2 0.5 2 0.05 2 2 0.5 0.2 0.05 0.5 1 1 1 1 2 0.5 2 2 2 2 2 1

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Brinjal Milks (fat) Tomato	0.2 0.05 0.5
Cyproconazole	Cocoa beans Coffee beans Palm oil Legume vegetables	0.1 0.1 0.1 0.1
Cyromazine	Sweet pea	2
Deltamethrin (sum of isomers)	Okra Rice (milled or polished) Papaya Cocoa beans Citrus fruits Cauliflower Chilli Guava French beans Long beans Cabbage Mango Palm oil Rambutan Legume vegetables (except as otherwise listed) Tea Brinjal Cucumber Tomato	$\begin{array}{c} 0.2\\ 1\\ 0.05\\ 0.05\\ 0.05\\ 0.2\\ 0.2\\ 0.2\\ 0.05\\ 0.1\\ 0.1\\ 0.2\\ 0.05\\ 0.2\\ 0.05\\ 0.2\\ 0.05\\ 0.1\\ 10\\ 0.2\\ 0.2\\ 0.2\\ 0.2\\ 0.2\\ 0.2 \end{array}$
Diafenthiuron	Cauliflower Chilli Kale Cabbage Chinese cabbage Mustards	0.2 0.2 0.2 0.2 0.2 0.2 0.2

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Legume vegetables Brinjal Cucumber	0.2 0.2 0.2
Diazinon	Starfruit Okra Rice (milled or polished) Citrus fruits Cauliflower Chilli Guava Rose apple Long beans Kale Cabbage Chinese cabbage Mango Celery Mustards Legume vegetables (except as otherwise listed) Brinjal Cucumber Tomato	0.5 0.5 0.1 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5
Dicamba	Palm oil	0.1
Dichlorvos	Mango	0.1
Dicofol (sum of o.pq& p,pq)	Citrus fruits Chilli French beans Long beans Mango Tea Watermelon Cucumber Tomato	5 1 2 2 1 5 0.2 0.5 1

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Difenoconazole	Rice (milled or polished) Cocoa beans Chilli French beans Long beans Mango Palm oil Banana Mustards Watermelon Cucumber Tomato	0.1 0.1 1 1 1 1 0.1 0.5 1 0.1 1 1
Diflubenzuron	Cabbage	1
Dimethoate (sum of dimethoate and omethoate)	Onion (bulb) Rice (milled or polished) Cocoa beans Coffee beans Citrus fruits Cauliflower Chilli French beans Long beans Groundnuts Kale Carrot Cabbage Pumpkins Radish Mango Pineapple Banana Lettuce Brassica vegetables (except as otherwise listed) Leafy vegetables (except as otherwise listed)	0.2 0.1 0.1 2 2 2 1 1 0.05 0.5 1 2 2 1 1 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 2 2 2 1 2 2 2 1 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 2 1 2 2 2 1 2 2 2 2 1 2 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Legume vegetables (except as otherwise listed) Tea Watermelon Brinjal Cucumber Tomato	1 0.2 1 2 2 1
Dimethomorph	Muskmelon Cucumber Tomato	0.5 0.2 0.5
Dithiocarbamates (expressed as CS2) Mancozeb Maneb Propineb Thiram Zineb Ziram	Onion (bulb) Amaranth Starfruit Rice (milled or polished) Papaya Cocoa beans Citrus fruits Cauliflower Chilli Spring onion leaves Durian Guava Sweet pea Long beans Groundnuts Cabbage Pumpkins Pepper (black, white) Leek Mango Melons Palm oil Banana Celery Lettuce Mustards	$\begin{array}{c} 0.5 \\ 10 \\ 5 \\ 0.5 \\ 5 \\ 5 \\ 10 \\ 5 \\ 3 \\ 10 \\ 1 \\ 5 \\ 2 \\ 2 \\ 0.1 \\ 5 \\ 2 \\ 2 \\ 0.1 \\ 5 \\ 0.2 \\ 3 \\ 0.5 \\ 2 \\ 0.5 \\ 1 \\ 2 \\ 5 \\ 10 \\ 10 \end{array}$

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Leafy vegetables (except as otherwise listed) Legume vegetables (except as otherwise listed) Tea Watermelon Cucumber Tomato Potato	10 2 5 1 2 5 0.2
Diuron	Papaya Coffee beans Citrus fruits Palm oil Pineapple Banana Sugarcane Tea	0.5 0.1 0.5 0.1 0.5 0.5 0.1 1
DSMA	Palm oil	0.1
Emamectin benzoate	Cabbage Chinese cabbage Kale Mustards	0.5 0.5 0.5 0.5
Endosulfan (sum of alpha and beta endosulfan and endosulfan sulphate)	Cocoa beans Fruits Citrus fruits Maize Cabbage Pepper (black, white) Mango Tea Brinjal Cucumber	0.1 2 2 0.1 2 0.5 2 30 2 2
EPTC	Rice (milled or polished)	0.1

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Ethoxysulfuron	Rice (milled or polished)	0.01
Etofenprox	Rice (milled or polished)	0.5
Famoxadone	Watermelon Cucumber Tomato	0.5 0.2 0.2
Fenamiphos (including its sulphoxide and sulphone, expressed as fenamiphos)	Guava Banana	0.2 0.1
Fenitrothion	Cereal grains Rice (milled or polished)	10 1
Fenoxaprop-p-ethyl	Rice (milled or polished)	0.05
Fenoxycarb	Kale Cabbage Chinese cabbage Mustards	0.5 0.2 0.2 0.5
Fenpyroximate	Citrus fruits Chilli	0.5 0.5
Fenthion	Starfruit Rice (milled or polished) Citrus fruits Guava Mango Cucumber	2 0.5 2 2 2 0.5
Fenvalerate	Amaranth Okra Cocoa beans Citrus fruits Cauliflower Chilli	2 1 0.05 2 2 1

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Kale Cabbage Chinese cabbage Lettuce Mustards Brinjal Cucumber Tomato	10 3 1 2 2 1 0.2 1
Fipronil	Rice (milled or polished) Chilli Cabbage Mustards Watermelon Brinjal	0.01 0.05 0.05 0.05 0.01 0.05
Fluazifop-butyl	Papaya Cocoa beans Durian Guava Mango Palm oil Banana Rambutan	0.1 0.1 0.1 0.1 0.1 0.2 0.1 0.1
Flufenacet	Maize	0.1
Flufenoxuron	Cabbage	0.1
Fluroxypyr	Cocoa beans Palm oil	0.1 0.1
Flutolanil	Rice (milled or polished) Durian Mustards	1 0.1 1
Formetanate hydrochloride	Chilli French beans	2 2

(1) Pesticide	(2) Food	(3) Maximum
		Residue Limits (MRLs) in food (mg/kg)
	Long beans Watermelon Brinjal Cucumber	2 1 2 1
Formothion	Okra Cabbage Root and tuber vegetables Brinjal Cucumber Tomato	0.1 0.1 2 0.1 0.1 0.1
Fosetyl aluminium	Citrus fruits Cocoa beans Durian	5 1 1
Furathiocarb	Rice (milled or polished) Citrus fruits Chilli Maize Watermelon Brinjal	0.1 3 2 0.05 0.2 0.1
Glufosinate ammonium (sum of glufosinate ammonium and 3-hydroxy methyl phosphinyl propionic acid, expressed as glufosinate (free acid))	Onion (bulb) Starfruits Rice (milled or polished) Papaya Cocoa beans Coffee beans Citrus fruits Durian Cashew nuts Guava Coconut / coconut oil Cabbage Chinese cabbage Mango Palm oil	0.05 0.1 0.1 0.5 0.1 0.1 0.1 0.1 0.1 0.1 0.5 0.5

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Jackfruit Banana Lettuce Leafy vegetables (except as otherwise listed)	0.1 0.2 0.1 0.1
	Legume vegetables Tea Watermelon	0.5 0.2 0.1
	Brinjal Tomato	0.1 0.1
Glyphosate	Starfruit Papaya Cocoa beans Coffee beans Citrus fruits Durian Guava Coconut / coconut oil Mango Palm oil Banana Tea	$\begin{array}{c} 0.1 \\ 0.2 \\ 0.5 \\ 0.2 \\ 0.2 \\ 0.1 \\ 0.1 \\ 0.1 \\ 0.1 \\ 0.1 \\ 0.2 \\ 0.2 \end{array}$
Hexaconazole	Rice (milled or polished) Coffee beans Long beans Mustards Cucumber	0.05 0.05 0.2 0.5 0.1
Hexazinone	Sugarcane	0.1
Hexythiazox	Citrus fruits	0.5
Hydrogen phosphide (all phosphide expressed as hydrogen phosphide)	Rice (milled or polished) Cocoa beans	0.1 0.01

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Imazapyr	Palm oil	0.1
Imazethapyr	Palm oil	0.05
Imidachlorprid	Rice (milled or polished) Citrus fruits Chilli Long beans Capsicum Mango Watermelon Brinjal	0.1 0.5 0.1 0.5 0.1 0.5 0.1 0.1
Inorganic bromide (expressed as total bromide)	Cereal grains Pulses Nuts	50 500 100
Iprodione	Rice (milled or polished) Citrus fruits Chilli Cabbage Chinese cabbage Rockmelon Watermelon Brinjal Cucumber Tomato	10 10 5 5 5 2 2 10 2 5
Iprovalicarb	Tomato	1
Isazofos	Rice (milled or polished) Cocoa beans Banana Watermelon	0.05 0.05 0.1 0.05
Isoprocarb	Rice (milled or polished) Cocoa beans Coffee beans	0.2 0.1 0.1

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Isoprothiolane	Rice (milled or polished)	2
Lufenuron	Chilli Maize Long beans Brinjal	0.5 0.05 0.2 0.2
Malathion	Starfruit Okra Rice (milled or polished) Papaya Citrus fruits Chilli Meat (cow, goat, pig) Poultry meat Guava Cabbage Pineapple Lettuce Mustards Legume vegetables Brinjal Cucumber Tomato	2 8 0.5 1 4 0.5 1 1 2 8 8 8 8 8 8 8 8 8 2 0.5 3 3
МСРА	Rice (milled or polished)	0.1
Mepronil	Rice (milled or polished) Legume vegetables	1 1
Mercaptodimethur (methiocarb)	Rice (milled or polished) Long beans Mustards Cucumber	0.05 0.1 0.1 0.1
Metalaxyl	Cocoa beans Citrus fruits Durian	0.2 5 0.2

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
	Maize Cucumber Tomato	0.05 0.5 0.5
Metaldehyde	Rice (milled or polished) Fruits Tuber crops Lettuce Strawberries	1 1 1 1
Methamidophos	Coconut / coconut oil Palm oil	0.1 0.1
Methidathion	Cocoa beans Maize Palm oil Sugarcane Tea	0.1 0.1 0.1 0.1 0.5
Metolachlor	Amaranth Chilli Maize French beans Sweet pea Long beans Soya bean Groundnuts Bitter gourd Angled loofah Lettuce Legume vegetables (except as otherwise listed) Sugarcane Watermelon Cucumber	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Metribuzin	Soya bean	0.05

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Metsulfuron methyl	Rice (milled or polished) Palm oil	0.02 0.02
Molinate	Rice (milled or polished)	0.1
Monocrotophos	Coconut / coconut oil Palm oil	0.05 0.05
MSMA	Cocoa beans Palm oil Sugarcane Tea	1 0.1 0.1 1
MTMC (metolcarb) Myclobutanil	Rice (milled or polished) French beans Long beans Cucumber	0.5 0.5 0.5 0.5
Napropamide	Chilli Sugarcane Brinjal Tomato	0.1 0.1 0.1 0.1
Ofurace	Leafy vegetables Tomato	1 0.5
Oxadiargyl	Rice (milled or polished)	0.05
Oxadiazon	Rice (milled or polished)	0.05
Oxadixyl	Cocoa beans Watermelon Cucumber Tomato Potato	1 0.5 0.5 0.5 0.2
Oxycarboxin	French beans Green gram Long beans	5 5 5

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Oxyfluorfen	Soya bean Groundnuts	0.05 0.05
Paraquat	Rice (milled or polished) Cocoa beans Coffee beans Coconut / coconut oil Pepper (black, white) Palm oil Banana Root and tuber vegetables (except as otherwise listed) Tapioca	0.5 0.1 0.05 0.1 0.05 0.1 0.05 0.05 0.05
Pencycuron	Rice (milled or polished) Mustards	0.5 1
Pendimethalin	Cabbage Mustards Tomato	0.1 0.1 0.1
Permethrin (sum of isomers)	Okra Cauliflower Cabbage Brinjal Tomato	1 0.5 5 1
Phenthoate	Onion (bulb) Okra Rice (milled or polished) Cauliflower Cabbage Lettuce Legume vegetables Brinjal Cucumber Tomato	0.1 0.05 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Phoxim	Meat (cow, buffalo, sheep, goat, pig, rabbit) Poultry meat Fat (cow, buffalo, sheep, goat, pig, rabbit) Poultry fat	0.01 0.01 0.05 0.05
Picloram	Sugarcane	0.01
Pirimiphos-methyl	Rice (milled or polished) Maize Groundnuts	1 5 2
Pretilachlor	Rice (milled or polished)	0.05
Prochloraz (sum of prochloraz and its metabolite containing the 2, 4, 6- trichlorophenol moeity, expressed as prochloraz)	Papaya Citrus fruits Chilli Guava Pepper (black, white) Mango Banana	1 5 5 2 8 2 5
Prophenofos	Cauliflower Chilli Maize French beans Long beans Kale Cabbage Bitter gourd Angled loofah Mustards Legume vegetables (except as otherwise listed) Brinjal Cucumber	0.5 5 0.05 0.5 2 1 2 2 2 2 0.5 2 0.5

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
Propamocarb	Cabbage Chinese cabbage Mustards Watermelon Honeydew Cucumber Tomato	0.1 0.1 10 2 2 2 1
Propanil	Rice (milled or polished)	0.1
Propargite	Citrus fruits Brinjal Cucumber Tomato	5 2 0.5 2
Propiconazole	Rice (milled or polished) Cocoa beans Groundnuts Banana Sugarcane	0.05 0.1 0.5 0.1 0.05
Propoxur	Rice (milled or polished) Cocoa beans	0.1 0.05
Prothiofos	Cauliflower Chilli Cabbage Chinese cabbage	0.2 0.2 0.2 0.2
Pymetrozine	Rice (milled or polished)	0.05
Pyrazosulfuron-ethyl	Rice (milled or polished)	0.1
Pyretrum		Not prescribed
Pyridaben	Citrus fruits	1
Quinalphos	Okra Rice (milled or polished)	0.1 0.1

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
	Cocoa beans Cauliflower Chilli Maize Cabbage Sugarcane Brinjal Tomato	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Quinchlorac	Rice (milled or polished)	0.5
Quintozene (sum of quintozene pentachloraniline and methyl pentachlorophenyl sulfide)	Cabbage	0.02
Quizalofop-ethyl	Okra Rice (milled or polished) Cocoa beans Chilli Long beans Chinese cabbage Cucumber Tomato	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Sethoxydim	Okra Chilli Cabbage Palm oil Brinjal	0.1 0.1 0.2 0.05 0.1
Silafluofen	Rice (milled or polished)	0.2
Spinosad	Kale Cabbage Mustard	2 0.5 2
Culture		

Sulfur

Not prescribed

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
Tebuconazole	Banana	0.05
Tebufenozide	Okra Rice (milled or polished) Chilli Long beans Brinjal Tomato	0.5 0.1 0.5 0.5 0.5 0.5
Teflubenzuron	Cabbage Chinese cabbage Mustards	0.2 0.2 1
Terbuthylazine	Cocoa beans	0.5
Tetradifon	Papaya Citrus fruits Guava Mango Strawberries Watermelon	5 2 5 5 2 1
Thiamethoxam	Okra Rice (milled or polished) Brinjal	0.2 0.1 0.2
Thiobencarb	Rice (milled or polished)	0.1
Thiocyclam-hydrogen oxalate	Cabbage Brinjal Tomato	0.3 0.5 0.5
Thiometon (sum of thiometon, its sulphoxide and sulphone, expressed as thiometon)	Citrus fruits Chilli French beans Long beans Watermelon	0.5 0.5 0.5 0.5 0.5

(1) Pesticide	(2) Food	(3) Maximum Residue Limits (MRLs) in food (mg/kg)
	Cucumber Brinjal	0.5 0.5
Thiophanate-methyl (sum of thiophanate-methyl and carbendazim, expressed as carbendazim)	See carbendazim	
Tolclofos-methyl	Lettuce	2
Tralomethrin	Chilli Cabbage Brinjal Tomato	0.5 0.2 0.5 0.5
Triadimefon	Coffee beans	0.05
Triadimenol (The limits accommodate triadimenol residues resulting from the use of triadimefon and/or triadimenol)	Cocoa beans Coconut / coconut oil	0.2 0.2
Triazophos	Citrus fruits Mango	2 2
Tribasic copper sulphate		Not prescribed
Trichlorfon	Rice (milled or polished) Citrus fruits Maize French beans Long beans Kale Mustards Watermelon	0.1 0.1 0.1 0.1 0.1 0.2 0.1 0.2
Triclopyr	Palm oil	0.1

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
Tridemorph	Sweet pea Pumpkins Mango Banana Legume vegetables (except as otherwise listed) Tea Watermelon Cucumber	0.1 0.1 0.1 0.1 0.1 15 0.1 0.1
Triflumuron	Cabbage	1
Vinclozolin (sum of vinclozolin and all metabolites containing the 3, 5- dichloroaniline moiety, expressed as vinclozolin)	Strawberries Tomatoes	10 3

White oil

Not prescribed